



# Super Shoes EDI Guideline

ANSI X12 - 004010 856 Advance Ship Notice

**Version: 1.0 Draft**

<b>Author:</b>	<b>SPS Commerce</b>
<b>Publication:</b>	
<b>Trading Partner:</b>	
<b>Created:</b>	<b>01/21/2010</b>
<b>Modified:</b>	<b>02/01/2010</b>
<b>Current:</b>	<b>03/23/2010</b>
<b>Notes:</b>	

# Table of Contents

<b>856</b>	<b>Ship Notice/Manifest</b>	<b>3</b>
ISA	Interchange Control Header	5
GS	Functional Group Header	7
ST	Transaction Set Header	9
BSN	Beginning Segment for Ship Notice	10
DTM	Date/Time Reference	12
HL	Loop HL	13
HL	Hierarchical Level	14
TD1	Carrier Details (Quantity and Weight)	15
TD5	Carrier Details (Routing Sequence/Transit Time)	17
TD3	Carrier Details (Equipment)	18
REF	Reference Identification	19
FOB	F.O.B. Related Instructions	20
N1	Loop N1	21
N1	Name	22
N3	Address Information	23
N4	Geographic Location	24
HL	Loop HL	25
HL	Hierarchical Level	26
PRF	Purchase Order Reference	27
TD1	Carrier Details (Quantity and Weight)	28
REF	Reference Identification	30
HL	Loop HL	31
HL	Hierarchical Level	32
MAN	Marks and Numbers	33
HL	Loop HL	34
HL	Hierarchical Level	35
LIN	Item Identification	36
SN1	Item Detail (Shipment)	39
PO4	Item Physical Details	40
PID	Product/Item Description	41
CTT	Transaction Totals	42
SE	Transaction Set Trailer	43
GE	Functional Group Trailer	44
IEA	Interchange Control Trailer	45

# 856

## Ship Notice/Manifest

Functional Group=**SH**

This Draft Standard for Trial Use contains the format and establishes the data contents of the Ship Notice/Manifest Transaction Set (856) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to list the contents of a shipment of goods as well as additional information relating to the shipment, such as order information, product description, physical characteristics, type of packaging, marking, carrier information, and configuration of goods within the transportation equipment. The transaction set enables the sender to describe the contents and configuration of a shipment in various levels of detail and provides an ordered flexibility to convey information. The sender of this transaction is the organization responsible for detailing and communicating the contents of a shipment, or shipments, to one or more receivers of the transaction set. The receiver of this transaction set can be any organization having an interest in the contents of a shipment or information about the contents of a shipment.

### User Note 1:

*NOTE: Only one PO Number, and only one Ship To location is allowed per ASN.*

### User Note 2:

*The ASN will be accepted in either SOPI (Shipment, Order, Pack, Item) or SOTI (Shipment, Order, Tare, Item) format.*

### Not Defined:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
	ISA	Interchange Control Header	M	1			Must use
	GS	Functional Group Header	M	1			Must use

### Heading:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	ST	Transaction Set Header	M	1			Must use
020	BSN	Beginning Segment for Ship Notice	M	1			Must use
040	DTM	Date/Time Reference	O	10			Must use

### Detail:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
<b>LOOP ID - HL</b>						<b>200000</b>	<b>C2/010L</b>
010	HL	Hierarchical Level	M	1		C2/010	Must use
110	TD1	Carrier Details (Quantity and Weight)	O	20			Used
120	TD5	Carrier Details (Routing Sequence/Transit Time)	O	12			Used
130	TD3	Carrier Details (Equipment)	O	12			Used
150	REF	Reference Identification	O	>1			Must use
210	FOB	F.O.B. Related Instructions	O	1			Used
<b>LOOP ID - N1</b>						<b>200</b>	
220	N1	Name	O	1			Must use
240	N3	Address Information	O	2			Used
250	N4	Geographic Location	O	1			Used

<u>LOOP ID - HL</u>					<u>200000</u>	<u>C2/010L</u>	
010	HL	Hierarchical Level	M	1		C2/010	Must use
050	PRF	Purchase Order Reference	O	1			Must use
110	TD1	Carrier Details (Quantity and Weight)	O	20			Used
150	REF	Reference Identification	O	>1			Must use
<u>LOOP ID - HL</u>					<u>200000</u>	<u>C2/010L</u>	
010	HL	Hierarchical Level	M	1		C2/010	Must use
190	MAN	Marks and Numbers	O	>1			Must use
<u>LOOP ID - HL</u>					<u>200000</u>	<u>C2/010L</u>	
010	HL	Hierarchical Level	M	1		C2/010	Must use
020	LIN	Item Identification	O	1			Must use
030	SN1	Item Detail (Shipment)	O	1			Must use
060	PO4	Item Physical Details	O	1			Used
070	PID	Product/Item Description	O	200			Used

**Summary:**

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	CTT	Transaction Totals	O	1		N3/010	Must use
020	SE	Transaction Set Trailer	M	1			Must use

**Not Defined:**

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
	GE	Functional Group Trailer	M	1			Must use
	IEA	Interchange Control Trailer	M	1			Must use

**Notes:**

3/010 Number of line items (CTT01) is the accumulation of the number of HL segments. If used, hash total (CTT02) is the sum of the value of units shipped (SN102) for each SN1 segment.

**Comments:**

- 2/010L The HL segment is the only mandatory segment within the HL loop, and by itself, the HL segment has no meaning.
- 2/010 The HL segment is the only mandatory segment within the HL loop, and by itself, the HL segment has no meaning.
- 2/010L The HL segment is the only mandatory segment within the HL loop, and by itself, the HL segment has no meaning.
- 2/010 The HL segment is the only mandatory segment within the HL loop, and by itself, the HL segment has no meaning.
- 2/010L The HL segment is the only mandatory segment within the HL loop, and by itself, the HL segment has no meaning.
- 2/010 The HL segment is the only mandatory segment within the HL loop, and by itself, the HL segment has no meaning.
- 2/010L The HL segment is the only mandatory segment within the HL loop, and by itself, the HL segment has no meaning.
- 2/010 The HL segment is the only mandatory segment within the HL loop, and by itself, the HL segment has no meaning.

# ISA Interchange Control Header

<b>Pos:</b>	<b>Max: 1</b>
<b>Not Defined - Mandatory</b>	
<b>Loop: N/A</b>	<b>Elements: 16</b>

**User Option (Usage):** Must use

To start and identify an interchange of zero or more functional groups and interchange-related control segments

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ISA01	I01	<b>Authorization Information Qualifier</b>	M	ID	2/2	Must use
		<b>Description:</b> Code to identify the type of information in the Authorization Information <b>All valid standard codes are used.</b>				
ISA02	I02	<b>Authorization Information</b>	M	AN	10/10	Must use
		<b>Description:</b> Information used for additional identification or authorization of the interchange sender or the data in the interchange; the type of information is set by the Authorization Information Qualifier (I01)				
ISA03	I03	<b>Security Information Qualifier</b>	M	ID	2/2	Must use
		<b>Description:</b> Code to identify the type of information in the Security Information <b>All valid standard codes are used.</b>				
ISA04	I04	<b>Security Information</b>	M	AN	10/10	Must use
		<b>Description:</b> This is used for identifying the security information about the interchange sender or the data in the interchange; the type of information is set by the Security Information Qualifier (I03)				
ISA05	I05	<b>Interchange ID Qualifier</b>	M	ID	2/2	Must use
		<b>Description:</b> Qualifier to designate the system/method of code structure used to designate the sender or receiver ID element being qualified <b>All valid standard codes are used.</b>				
ISA06	I06	<b>Interchange Sender ID</b>	M	AN	15/15	Must use
		<b>Description:</b> Identification code published by the sender for other parties to use as the receiver ID to route data to them; the sender always codes this value in the sender ID element				
ISA07	I05	<b>Interchange ID Qualifier</b>	M	ID	2/2	Must use
		<b>Description:</b> Qualifier to designate the system/method of code structure used to designate the sender or receiver ID element being qualified <b>All valid standard codes are used.</b>				
ISA08	I07	<b>Interchange Receiver ID</b>	M	AN	15/15	Must use
		<b>Description:</b> Identification code published by the receiver of the data; When sending, it is used by the sender as their sending ID, thus other parties sending to them will use this as a receiving ID to route data to them				
ISA09	I08	<b>Interchange Date</b>	M	DT	6/6	Must use
		<b>Description:</b> Date of the interchange				
ISA10	I09	<b>Interchange Time</b>	M	TM	4/4	Must use

		<b>Description:</b> Time of the interchange				
ISA11	I10	<b>Interchange Control Standards Identifier</b>	M	ID	1/1	Must use
		<b>Description:</b> Code to identify the agency responsible for the control standard used by the message that is enclosed by the interchange header and trailer <b>All valid standard codes are used.</b>				
ISA12	I11	<b>Interchange Control Version Number</b>	M	ID	5/5	Must use
		<b>Description:</b> Code specifying the version number of the interchange control segments <b>All valid standard codes are used.</b>				
ISA13	I12	<b>Interchange Control Number</b>	M	NO	9/9	Must use
		<b>Description:</b> A control number assigned by the interchange sender				
ISA14	I13	<b>Acknowledgment Requested</b>	M	ID	1/1	Must use
		<b>Description:</b> Code sent by the sender to request an interchange acknowledgment (TA1) <b>All valid standard codes are used.</b>				
ISA15	I14	<b>Usage Indicator</b>	M	ID	1/1	Must use
		<b>Description:</b> Code to indicate whether data enclosed by this interchange envelope is test, production or information <b>All valid standard codes are used.</b>				
ISA16	I15	<b>Component Element Separator</b>	M		1/1	Must use
		<b>Description:</b> Type is not applicable; the component element separator is a delimiter and not a data element; this field provides the delimiter used to separate component data elements within a composite data structure; this value must be different than the data element separator and the segment terminator				

# GS Functional Group Header

<b>Pos:</b>	<b>Max: 1</b>
<b>Not Defined - Mandatory</b>	
<b>Loop: N/A</b>	<b>Elements: 8</b>

**User Option (Usage):** Must use

To indicate the beginning of a functional group and to provide control information

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
GS01	479	<b>Functional Identifier Code</b>	M	ID	2/2	Must use
		<b>Description:</b> Code identifying a group of application related transaction sets				
		<u>Code</u>		<u>Name</u>		
		SH		Ship Notice/Manifest (856)		
GS02	142	<b>Application Sender's Code</b>	M	AN	2/15	Must use
		<b>Description:</b> Code identifying party sending transmission; codes agreed to by trading partners				
GS03	124	<b>Application Receiver's Code</b>	M	AN	2/15	Must use
		<b>Description:</b> Code identifying party receiving transmission; codes agreed to by trading partners				
GS04	373	<b>Date</b>	M	DT	8/8	Must use
		<b>Description:</b> Date expressed as CCYYMMDD				
GS05	337	<b>Time</b>	M	TM	4/8	Must use
		<b>Description:</b> Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)				
GS06	28	<b>Group Control Number</b>	M	N0	1/9	Must use
		<b>Description:</b> Assigned number originated and maintained by the sender				
GS07	455	<b>Responsible Agency Code</b>	M	ID	1/2	Must use
		<b>Description:</b> Code identifying the issuer of the standard; this code is used in conjunction with Data Element 480				
		<b>All valid standard codes are used.</b>				
GS08	480	<b>Version / Release / Industry Identifier Code</b>	M	AN	1/12	Must use
		<b>Description:</b> Code indicating the version, release, subrelease, and industry identifier of the EDI standard being used, including the GS and GE segments; if code in DE455 in GS segment is X, then in DE 480 positions 1-3 are the version number; positions 4-6 are the release and subrelease, level of the version; and positions 7-12 are the industry or trade association identifiers (optionally assigned by user); if code in DE455 in GS segment is T, then other formats are allowed				
		<u>Code</u>		<u>Name</u>		
		004010		Draft Standards Approved for Publication by ASC X12 Procedures Review Board through October 1997		

**Semantics:**

1. GS04 is the group date.
2. GS05 is the group time.
3. The data interchange control number GS06 in this header must be identical to the same data element in the associated functional group trailer, GE02.

**Comments:**

1. A functional group of related transaction sets, within the scope of X12 standards, consists of a collection of similar transaction sets enclosed by a functional group header and a functional group trailer.



# ST Transaction Set Header

Pos: 010	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

**User Option (Usage):** Must use

To indicate the start of a transaction set and to assign a control number

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ST01	143	<b>Transaction Set Identifier Code</b>	M	ID	3/3	Must use
		<b>Description:</b> Code uniquely identifying a Transaction Set <b>All valid standard codes are used.</b>				
ST02	329	<b>Transaction Set Control Number</b>	M	AN	4/9	Must use
		<b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set				

## Semantics:

1. The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

# BSN Beginning Segment for Ship Notice

Pos: 020	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 5

**User Option (Usage):** Must use

To transmit identifying numbers, dates, and other basic data relating to the transaction set

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
BSN01	353	<b>Transaction Set Purpose Code</b>	M	ID	2/2	Must use
		<b>Description:</b> Code identifying purpose of transaction set				
		<u>Code</u>		<u>Name</u>		
		00		Original		
				<b>User Note 1:</b>		
				<i>"00" Is required for Warehouse Shipment and Direct To Store Shipment.</i>		
		06		Confirmation		
				<b>User Note 1:</b>		
				<i>"06" Is required when ASN is for a Drop Shipment directly to the consumer.</i>		
BSN02	396	<b>Shipment Identification</b>	M	AN	2/30	Must use
		<b>Description:</b> A unique control number assigned by the original shipper to identify a specific shipment				
BSN03	373	<b>Date</b>	M	DT	8/8	Must use
		<b>Description:</b> Date expressed as CCYYMMDD				
BSN04	337	<b>Time</b>	M	TM	4/8	Must use
		<b>Description:</b> Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)				
BSN05	1005	<b>Hierarchical Structure Code</b>	O	ID	4/4	Used
		<b>Description:</b> Code indicating the hierarchical application structure of a transaction set that utilizes the HL segment to define the structure of the transaction set				
		<u>Code</u>		<u>Name</u>		
		0001		Shipment, Order, Packaging, Item		

## Syntax Rules:

1. C0706 - If BSN07 is present, then BSN06 is required.

## Semantics:

1. BSN03 is the date the shipment transaction set is created.
2. BSN04 is the time the shipment transaction set is created.
3. BSN06 is limited to shipment related codes.

**Comments:**

1. BSN06 and BSN07 differentiate the functionality of use for the transaction set.

# DTM Date/Time Reference

Pos: 040	Max: 10
Heading - Optional	
Loop: N/A	Elements: 2

**User Option (Usage):** Must use

To specify pertinent dates and times

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM01	374	Date/Time Qualifier	M	ID	3/3	Must use

**Description:** Code specifying type of date or time, or both date and time

<u>Code</u>	<u>Name</u>
011	Shipped

DTM02	373	Date	X	DT	8/8	Must use
-------	-----	------	---	----	-----	----------

**Description:** Date expressed as CCYYMMDD

## Syntax Rules:

1. R020305 - At least one of DTM02, DTM03 or DTM05 is required.
2. C0403 - If DTM04 is present, then DTM03 is required.
3. P0506 - If either DTM05 or DTM06 is present, then the other is required.

# Loop HL

Pos: 010	Repeat: 200000
Mandatory	
Loop: HL	Elements: N/A

**User Option (Usage):** Must use

To identify dependencies among and the content of hierarchically related groups of data segments

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
010	HL	Hierarchical Level	M	1		Must use
110	TD1	Carrier Details (Quantity and Weight)	O	20		Used
120	TD5	Carrier Details (Routing Sequence/Transit Time)	O	12		Used
130	TD3	Carrier Details (Equipment)	O	12		Used
150	REF	Reference Identification	O	>1		Must use
210	FOB	F.O.B. Related Instructions	O	1		Used
220		Loop N1	O		200	Must use
010		Loop HL	M		200000	Must use

**HL****Hierarchical Level**

<b>Pos: 010</b>	<b>Max: 1</b>
<b>Detail - Mandatory</b>	
<b>Loop: HL</b>	<b>Elements: 3</b>

**User Option (Usage):** Must use

To identify dependencies among and the content of hierarchically related groups of data segments

**Element Summary:**

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
HL01	628	<b>Hierarchical ID Number</b>	M	AN	1/12	Must use
<b>Description:</b> A unique number assigned by the sender to identify a particular data segment in a hierarchical structure						
HL02	734	<b>Hierarchical Parent ID Number</b>	O	AN	1/12	Used
<b>Description:</b> Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to						
HL03	735	<b>Hierarchical Level Code</b>	M	ID	1/2	Must use
<b>Description:</b> Code defining the characteristic of a level in a hierarchical structure						

<u>Code</u>	<u>Name</u>
S	Shipment

**Comments:**

1. The HL segment is used to identify levels of detail information using a hierarchical structure, such as relating line-item data to shipment data, and packaging data to line-item data.
2. The HL segment defines a top-down/left-right ordered structure.
3. HL01 shall contain a unique alphanumeric number for each occurrence of the HL segment in the transaction set. For example, HL01 could be used to indicate the number of occurrences of the HL segment, in which case the value of HL01 would be "1" for the initial HL segment and would be incremented by one in each subsequent HL segment within the transaction.
4. HL02 identifies the hierarchical ID number of the HL segment to which the current HL segment is subordinate.
5. HL03 indicates the context of the series of segments following the current HL segment up to the next occurrence of an HL segment in the transaction. For example, HL03 is used to indicate that subsequent segments in the HL loop form a logical grouping of data referring to shipment, order, or item-level information.
6. HL04 indicates whether or not there are subordinate (or child) HL segments related to the current HL segment.

# TD1 Carrier Details (Quantity and Weight)

Pos: 110	Max: 20
Detail - Optional	
Loop: HL	Elements: 5

User Option (Usage): Used

To specify the transportation details relative to commodity, weight, and quantity

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
TD101	103	<b>Packaging Code</b>	O	AN	3/5	Used

**Description:** Code identifying the type of packaging; Part 1: Packaging Form, Part 2: Packaging Material; if the Data Element is used, then Part 1 is always required

<u>Code</u>	<u>Name</u>
BAG	Bag
CNT	Container
CTN	Carton
MIX	Mixed Container Types
PLT	Pallet
SRW	Shrink Wrap
<u>Code</u>	<u>Name</u>
01	Aluminum
25	Corrugated or Solid
58	Metal
79	Plastic
94	Wood

TD102	80	<b>Lading Quantity</b>	X	NO	1/7	Used
-------	----	------------------------	---	----	-----	------

**Description:** Number of units (pieces) of the lading commodity

TD106	187	<b>Weight Qualifier</b>	O	ID	1/2	Used
-------	-----	-------------------------	---	----	-----	------

**Description:** Code defining the type of weight

<u>Code</u>	<u>Name</u>
G	Gross Weight

TD107	81	<b>Weight</b>	X	R	1/10	Used
-------	----	---------------	---	---	------	------

**Description:** Numeric value of weight

TD108	355	<b>Unit or Basis for Measurement Code</b>	X	ID	2/2	Used
-------	-----	---	---	----	-----	------

**Description:** Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken

<u>Code</u>	<u>Name</u>
KG	Kilogram
LB	Pound

## Syntax Rules:

1. C0102 - If TD101 is present, then TD102 is required.

2. C0304 - If TD103 is present, then TD104 is required.
3. C0607 - If TD106 is present, then TD107 is required.
4. P0708 - If either TD107 or TD108 is present, then the other is required.
5. P0910 - If either TD109 or TD110 is present, then the other is required.



# TD5 Carrier Details (Routing Sequence/Transit Time)

Pos: 120	Max: 12
Detail - Optional	
Loop: HL	Elements: 3

**User Option (Usage):** Used

To specify the carrier and sequence of routing and provide transit time information

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
TD502	66	<b>Identification Code Qualifier</b>	X	ID	1/2	Used
		<b>Description:</b> Code designating the system/method of code structure used for Identification Code (67)				
		<u>Code</u>		<u>Name</u>		
		2		Standard Carrier Alpha Code (SCAC)		
TD503	67	<b>Identification Code</b>	X	AN	2/80	Used
		<b>Description:</b> Code identifying a party or other code				
TD505	387	<b>Routing</b>	X	AN	1/35	Used
		<b>Description:</b> Free-form description of the routing or requested routing for shipment, or the originating carrier's identity				

## Syntax Rules:

1. R0204050612 - At least one of TD502, TD504, TD505, TD506 or TD512 is required.
2. C0203 - If TD502 is present, then TD503 is required.
3. C0708 - If TD507 is present, then TD508 is required.
4. C1011 - If TD510 is present, then TD511 is required.
5. C1312 - If TD513 is present, then TD512 is required.
6. C1413 - If TD514 is present, then TD513 is required.
7. C1512 - If TD515 is present, then TD512 is required.

## Semantics:

1. TD515 is the country where the service is to be performed.

## Comments:

1. When specifying a routing sequence to be used for the shipment movement in lieu of specifying each carrier within the movement, use TD502 to identify the party responsible for defining the routing sequence, and use TD503 to identify the actual routing sequence, specified by the party identified in TD502.

# TD3 Carrier Details (Equipment)

Pos: 130	Max: 12
Detail - Optional	
Loop: HL	Elements: 2

**User Option (Usage):** Used

To specify transportation details relating to the equipment used by the carrier

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
TD301	40	<b>Equipment Description Code</b>	X	ID	2/2	Used

**Description:** Code identifying type of equipment used for shipment

<u>Code</u>	<u>Name</u>
TL	Trailer (not otherwise specified)

TD303	207	<b>Equipment Number</b>	X	AN	1/10	Used
-------	-----	-------------------------	---	----	------	------

**Description:** Sequencing or serial part of an equipment unit's identifying number (pure numeric form for equipment number is preferred)

## Syntax Rules:

1. E0110 - Only one of TD301 or TD310 may be present.
2. C0203 - If TD302 is present, then TD303 is required.
3. C0405 - If TD304 is present, then TD305 is required.
4. P0506 - If either TD305 or TD306 is present, then the other is required.

# REF Reference Identification

Pos: 150	Max: >1
Detail - Optional	
Loop: HL	Elements: 2

**User Option (Usage):** Must use

To specify identifying information

## User Note 1:

*Either Bill of Lading Number or Carrier Pro Number is required.*

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use

**Description:** Code qualifying the Reference Identification

<u>Code</u>	<u>Name</u>
AO	Appointment Number
BM	Bill of Lading Number
CN	Carrier's Reference Number (PRO/Invoice)
P8	Pickup Reference Number

REF02	127	Reference Identification	X	AN	1/30	Must use
-------	-----	--------------------------	---	----	------	----------

**Description:** Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

## Syntax Rules:

1. R0203 - At least one of REF02 or REF03 is required.

## Semantics:

1. REF04 contains data relating to the value cited in REF02.

# FOB F.O.B. Related Instructions

Pos: 210	Max: 1
Detail - Optional	
Loop: HL	Elements: 3

**User Option (Usage):** Used

To specify transportation instructions relating to shipment

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
FOB01	146	<b>Shipment Method of Payment</b>	M	ID	2/2	Must use
		<b>Description:</b> Code identifying payment terms for transportation charges				
		<b><u>Code</u></b>		<b><u>Name</u></b>		
		CC		Collect		
		CF		Collect, Freight Credited Back to Customer		
		DF		Defined by Buyer and Seller		
		HP		Half Prepaid		
		MX		Mixed		
		NC		Service Freight, No Charge		
		PB		Customer Pick-up/Backhaul		
		PC		Prepaid but Charged to Customer		
		PP		Prepaid (by Seller)		
		PU		Pickup		
		TP		Third Party Pay		
FOB02	309	<b>Location Qualifier</b>	X	ID	1/2	Used
		<b>Description:</b> Code identifying type of location				
		<b><u>Code</u></b>		<b><u>Name</u></b>		
		AC		City and State		
		DE		Destination (Shipping)		
		OR		Origin (Shipping Point)		
FOB03	352	<b>Description</b>	O	AN	1/80	Used
		<b>Description:</b> A free-form description to clarify the related data elements and their content				

## Syntax Rules:

1. C0302 - If FOB03 is present, then FOB02 is required.
2. C0405 - If FOB04 is present, then FOB05 is required.
3. C0706 - If FOB07 is present, then FOB06 is required.
4. C0809 - If FOB08 is present, then FOB09 is required.

## Semantics:

1. FOB01 indicates which party will pay the carrier.
2. FOB02 is the code specifying transportation responsibility location.
3. FOB06 is the code specifying the title passage location.
4. FOB08 is the code specifying the point at which the risk of loss transfers. This may be different than the location specified in FOB02/FOB03 and FOB06/FOB07.

# Loop N1

Pos: 220	Repeat: 200
Optional	
Loop: N1	Elements: N/A

**User Option (Usage):** Must use

To identify a party by type of organization, name, and code

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
220	N1	Name	O	1		Must use
240	N3	Address Information	O	2		Used
250	N4	Geographic Location	O	1		Used

**N1****Name**

<b>Pos: 220</b>	<b>Max: 1</b>
<b>Detail - Optional</b>	
<b>Loop: N1</b>	<b>Elements: 4</b>

**User Option (Usage):** Must use

To identify a party by type of organization, name, and code

**Element Summary:**

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N101	98	<b>Entity Identifier Code</b>	M	ID	2/3	Must use

**Description:** Code identifying an organizational entity, a physical location, property or an individual

<u>Code</u>	<u>Name</u>
SF	Ship From
SN	Store
ST	Ship To

**User Note 1:**  
*Ship To is always required.*

VN Vendor

N102	93	<b>Name</b>	X	AN	1/60	Used
------	----	-------------	---	----	------	------

**Description:** Free-form name**User Note 1:** *Ship To N102 is required for Drop Ship shipment.*

N103	66	<b>Identification Code Qualifier</b>	X	ID	1/2	Used
------	----	--------------------------------------	---	----	-----	------

**Description:** Code designating the system/method of code structure used for Identification Code (67)

<u>Code</u>	<u>Name</u>
1	D-U-N-S Number, Dun & Bradstreet
9	D-U-N-S+4, D-U-N-S Number with Four Character Suffix
15	Standard Address Number (SAN)
91	Assigned by Seller or Seller's Agent
92	Assigned by Buyer or Buyer's Agent

N104	67	<b>Identification Code</b>	X	AN	2/80	Used
------	----	----------------------------	---	----	------	------

**Description:** Code identifying a party or other code**User Note 1:** *Ship To N104 is required for Direct to Store and Warehouse shipments.***Syntax Rules:**

1. R0203 - At least one of N102 or N103 is required.
2. P0304 - If either N103 or N104 is present, then the other is required.

**Comments:**

1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
2. N105 and N106 further define the type of entity in N101.

# N3 Address Information

Pos: 240	Max: 2
Detail - Optional	
Loop: N1	Elements: 2

**User Option (Usage):** Used

To specify the location of the named party

## User Note 1:

*Ship To N3 segment is required for Drop Ship shipments.*

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N301	166	<b>Address Information</b>	M	AN	1/55	Must use
		<b>Description:</b> Address information				
N302	166	<b>Address Information</b>	O	AN	1/55	Used
		<b>Description:</b> Address information				

# N4 Geographic Location

Pos: 250	Max: 1
Detail - Optional	
Loop: N1	Elements: 4

**User Option (Usage):** Used

To specify the geographic place of the named party

## User Note 1:

*Ship To N4 segment is required for Drop Ship shipments.*

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N401	19	<b>City Name</b>	O	AN	2/30	Used
		<b>Description:</b> Free-form text for city name				
N402	156	<b>State or Province Code</b>	O	ID	2/2	Used
		<b>Description:</b> Code (Standard State/Province) as defined by appropriate government agency				
N403	116	<b>Postal Code</b>	O	ID	3/15	Used
		<b>Description:</b> Code defining international postal zone code excluding punctuation and blanks (zip code for United States)				
N404	26	<b>Country Code</b>	O	ID	2/3	Used
		<b>Description:</b> Code identifying the country				

## Syntax Rules:

1. C0605 - If N406 is present, then N405 is required.

## Comments:

1. A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.
2. N402 is required only if city name (N401) is in the U.S. or Canada.



# Loop HL

Pos: 010	Repeat: 200000
Mandatory	
Loop: HL	Elements: N/A

**User Option (Usage):** Must use

To identify dependencies among and the content of hierarchically related groups of data segments

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
010	HL	Hierarchical Level	M	1		Must use
050	PRF	Purchase Order Reference	O	1		Must use
110	TD1	Carrier Details (Quantity and Weight)	O	20		Used
150	REF	Reference Identification	O	>1		Must use
010		Loop HL	M		200000	Must use

# HL Hierarchical Level

Pos: 010	Max: 1
Detail - Mandatory	
Loop: HL	Elements: 3

**User Option (Usage):** Must use

To identify dependencies among and the content of hierarchically related groups of data segments

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
HL01	628	<b>Hierarchical ID Number</b>	M	AN	1/12	Must use
<b>Description:</b> A unique number assigned by the sender to identify a particular data segment in a hierarchical structure						
HL02	734	<b>Hierarchical Parent ID Number</b>	O	AN	1/12	Used
<b>Description:</b> Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to						
HL03	735	<b>Hierarchical Level Code</b>	M	ID	1/2	Must use
<b>Description:</b> Code defining the characteristic of a level in a hierarchical structure						

<u>Code</u>	<u>Name</u>
O	Order

## Comments:

1. The HL segment is used to identify levels of detail information using a hierarchical structure, such as relating line-item data to shipment data, and packaging data to line-item data.
2. The HL segment defines a top-down/left-right ordered structure.
3. HL01 shall contain a unique alphanumeric number for each occurrence of the HL segment in the transaction set. For example, HL01 could be used to indicate the number of occurrences of the HL segment, in which case the value of HL01 would be "1" for the initial HL segment and would be incremented by one in each subsequent HL segment within the transaction.
4. HL02 identifies the hierarchical ID number of the HL segment to which the current HL segment is subordinate.
5. HL03 indicates the context of the series of segments following the current HL segment up to the next occurrence of an HL segment in the transaction. For example, HL03 is used to indicate that subsequent segments in the HL loop form a logical grouping of data referring to shipment, order, or item-level information.
6. HL04 indicates whether or not there are subordinate (or child) HL segments related to the current HL segment.

# PRF Purchase Order Reference

Pos: 050	Max: 1
Detail - Optional	
Loop: HL	Elements: 3

**User Option (Usage):** Must use

To provide reference to a specific purchase order

## User Note 1:

*NOTE: Only one PO is allowed per ASN.*

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PRF01	324	<b>Purchase Order Number</b>	M	AN	1/22	Must use
		<b>Description:</b> Identifying number for Purchase Order assigned by the orderer/purchaser				
PRF02	328	<b>Release Number</b>	O	AN	1/30	Used
		<b>Description:</b> Number identifying a release against a Purchase Order previously placed by the parties involved in the transaction				
PRF04	373	<b>Date</b>	O	DT	8/8	Used
		<b>Description:</b> Date expressed as CCYYMMDD				

## Semantics:

1. PRF04 is the date assigned by the purchaser to purchase order.

# TD1 Carrier Details (Quantity and Weight)

Pos: 110	Max: 20
Detail - Optional	
Loop: HL	Elements: 5

User Option (Usage): Used

To specify the transportation details relative to commodity, weight, and quantity

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
TD101	103	<b>Packaging Code</b>	O	AN	3/5	Used
<b>Description:</b> Code identifying the type of packaging; Part 1: Packaging Form, Part 2: Packaging Material; if the Data Element is used, then Part 1 is always required						
		<u>Code</u>	<u>Name</u>			
		BAG	Bag			
		CNT	Container			
		CTN	Carton			
		MIX	Mixed Container Types			
		PLT	Pallet			
		SRW	Shrink Wrap			
		<u>Code</u>	<u>Name</u>			
		01	Aluminum			
		25	Corrugated or Solid			
		58	Metal			
		79	Plastic			
		94	Wood			
TD102	80	<b>Lading Quantity</b>	X	NO	1/7	Used
<b>Description:</b> Number of units (pieces) of the lading commodity						
TD106	187	<b>Weight Qualifier</b>	O	ID	1/2	Used
<b>Description:</b> Code defining the type of weight						
		<u>Code</u>	<u>Name</u>			
		G	Gross Weight			
TD107	81	<b>Weight</b>	X	R	1/10	Used
<b>Description:</b> Numeric value of weight						
TD108	355	<b>Unit or Basis for Measurement Code</b>	X	ID	2/2	Used
<b>Description:</b> Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken						
		<u>Code</u>	<u>Name</u>			
		KG	Kilogram			
		LB	Pound			

## Syntax Rules:

1. C0102 - If TD101 is present, then TD102 is required.

2. C0304 - If TD103 is present, then TD104 is required.
3. C0607 - If TD106 is present, then TD107 is required.
4. P0708 - If either TD107 or TD108 is present, then the other is required.
5. P0910 - If either TD109 or TD110 is present, then the other is required.

# REF Reference Identification

Pos: 150	Max: >1
Detail - Optional	
Loop: HL	Elements: 2

**User Option (Usage):** Must use

To specify identifying information

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use

**Description:** Code qualifying the Reference Identification

<u>Code</u>	<u>Name</u>
CO	Customer Order Number
IA	Internal Vendor Number

**User Note 1:**

*Internal Vendor Number (REF01 = "IA") is required.*

REF02	127	Reference Identification	X	AN	1/30	Must use
-------	-----	--------------------------	---	----	------	----------

**Description:** Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

**User Note 1:** *Customer Order Number, if used, must be numeric, and no more than 10 characters.*

*Internal Vendor Number must be numeric and no more than 10 characters.*

## Syntax Rules:

1. R0203 - At least one of REF02 or REF03 is required.

## Semantics:

1. REF04 contains data relating to the value cited in REF02.

# Loop HL

Pos: 010	Repeat: 200000
Mandatory	
Loop: HL	Elements: N/A

**User Option (Usage):** Must use

To identify dependencies among and the content of hierarchically related groups of data segments

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
010	HL	Hierarchical Level	M	1		Must use
190	MAN	Marks and Numbers	O	>1		Must use
010		Loop HL	M		200000	Must use

**HL****Hierarchical Level**

<b>Pos: 010</b>	<b>Max: 1</b>
<b>Detail - Mandatory</b>	
<b>Loop: HL</b>	<b>Elements: 3</b>

**User Option (Usage):** Must use

To identify dependencies among and the content of hierarchically related groups of data segments

**Element Summary:**

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
HL01	628	<b>Hierarchical ID Number</b>	M	AN	1/12	Must use
<b>Description:</b> A unique number assigned by the sender to identify a particular data segment in a hierarchical structure						
HL02	734	<b>Hierarchical Parent ID Number</b>	O	AN	1/12	Used
<b>Description:</b> Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to						
HL03	735	<b>Hierarchical Level Code</b>	M	ID	1/2	Must use
<b>Description:</b> Code defining the characteristic of a level in a hierarchical structure						

<u>Code</u>	<u>Name</u>
P	Pack
T	Shipping Tare

**Comments:**

1. The HL segment is used to identify levels of detail information using a hierarchical structure, such as relating line-item data to shipment data, and packaging data to line-item data.
2. The HL segment defines a top-down/left-right ordered structure.
3. HL01 shall contain a unique alphanumeric number for each occurrence of the HL segment in the transaction set. For example, HL01 could be used to indicate the number of occurrences of the HL segment, in which case the value of HL01 would be "1" for the initial HL segment and would be incremented by one in each subsequent HL segment within the transaction.
4. HL02 identifies the hierarchical ID number of the HL segment to which the current HL segment is subordinate.
5. HL03 indicates the context of the series of segments following the current HL segment up to the next occurrence of an HL segment in the transaction. For example, HL03 is used to indicate that subsequent segments in the HL loop form a logical grouping of data referring to shipment, order, or item-level information.
6. HL04 indicates whether or not there are subordinate (or child) HL segments related to the current HL segment.



# MAN Marks and Numbers

Pos: 190	Max: >1
Detail - Optional	
Loop: HL	Elements: 4

**User Option (Usage):** Must use

To indicate identifying marks and numbers for shipping containers

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>						
MAN01	88	<b>Marks and Numbers Qualifier</b>	M	ID	1/2	Must use						
<p><b>Description:</b> Code specifying the application or source of Marks and Numbers (87)  <b>User Note 1:</b> "CP" Required for Drop Ship (Direct to Consumer) shipment.  "GM" Required for Direct to Store and Warehouse shipments.</p> <table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>CP</td> <td>Carrier-Assigned Package ID Number</td> </tr> <tr> <td>GM</td> <td>SSCC-18 and Application Identifier</td> </tr> </tbody> </table>							<u>Code</u>	<u>Name</u>	CP	Carrier-Assigned Package ID Number	GM	SSCC-18 and Application Identifier
<u>Code</u>	<u>Name</u>											
CP	Carrier-Assigned Package ID Number											
GM	SSCC-18 and Application Identifier											
MAN02	87	<b>Marks and Numbers</b>	M	AN	1/48	Must use						
<p><b>Description:</b> Marks and numbers used to identify a shipment or parts of a shipment</p>												
MAN04	88	<b>Marks and Numbers Qualifier</b>	X	ID	1/2	Used						
<p><b>Description:</b> Code specifying the application or source of Marks and Numbers (87)</p> <table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>CP</td> <td>Carrier-Assigned Package ID Number</td> </tr> </tbody> </table>							<u>Code</u>	<u>Name</u>	CP	Carrier-Assigned Package ID Number		
<u>Code</u>	<u>Name</u>											
CP	Carrier-Assigned Package ID Number											
MAN05	87	<b>Marks and Numbers</b>	X	AN	1/48	Used						
<p><b>Description:</b> Marks and numbers used to identify a shipment or parts of a shipment</p>												

## Syntax Rules:

1. P0405 - If either MAN04 or MAN05 is present, then the other is required.
2. C0605 - If MAN06 is present, then MAN05 is required.

## Semantics:

1. MAN01/MAN02 and MAN04/MAN05 may be used to identify two different marks and numbers assigned to the same physical container.
2. When both MAN02 and MAN03 are used, MAN02 is the starting number of a sequential range and MAN03 is the ending number of that range.
3. When both MAN05 and MAN06 are used, MAN05 is the starting number of a sequential range, and MAN06 is the ending number of that range.

## Comments:

1. When MAN01 contains code "UC" (U.P.C. Shipping Container Code) and MAN05/MAN06 contain a range of ID numbers, MAN03 is not used. The reason for this is that the U.P.C. Shipping Container code is the same on every carton that is represented in the range in MAN05/MAN06.
2. MAN03 and/or MAN06 are only used when sending a range(s) of ID numbers.
3. When both MAN02/MAN03 and MAN05/MAN06 are used to send ranges of ID numbers, the integrity of the two ID numbers must be maintained.

# Loop HL

Pos: 010	Repeat: 200000
Mandatory	
Loop: HL	Elements: N/A

**User Option (Usage):** Must use

To identify dependencies among and the content of hierarchically related groups of data segments

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
010	HL	Hierarchical Level	M	1		Must use
020	LIN	Item Identification	O	1		Must use
030	SN1	Item Detail (Shipment)	O	1		Must use
060	PO4	Item Physical Details	O	1		Used
070	PID	Product/Item Description	O	200		Used

# HL Hierarchical Level

Pos: 010	Max: 1
Detail - Mandatory	
Loop: HL	Elements: 3

**User Option (Usage):** Must use

To identify dependencies among and the content of hierarchically related groups of data segments

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
HL01	628	<b>Hierarchical ID Number</b>	M	AN	1/12	Must use
<b>Description:</b> A unique number assigned by the sender to identify a particular data segment in a hierarchical structure						
HL02	734	<b>Hierarchical Parent ID Number</b>	O	AN	1/12	Used
<b>Description:</b> Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to						
HL03	735	<b>Hierarchical Level Code</b>	M	ID	1/2	Must use
<b>Description:</b> Code defining the characteristic of a level in a hierarchical structure						

<u>Code</u>	<u>Name</u>
I	Item

## Comments:

1. The HL segment is used to identify levels of detail information using a hierarchical structure, such as relating line-item data to shipment data, and packaging data to line-item data.
2. The HL segment defines a top-down/left-right ordered structure.
3. HL01 shall contain a unique alphanumeric number for each occurrence of the HL segment in the transaction set. For example, HL01 could be used to indicate the number of occurrences of the HL segment, in which case the value of HL01 would be "1" for the initial HL segment and would be incremented by one in each subsequent HL segment within the transaction.
4. HL02 identifies the hierarchical ID number of the HL segment to which the current HL segment is subordinate.
5. HL03 indicates the context of the series of segments following the current HL segment up to the next occurrence of an HL segment in the transaction. For example, HL03 is used to indicate that subsequent segments in the HL loop form a logical grouping of data referring to shipment, order, or item-level information.
6. HL04 indicates whether or not there are subordinate (or child) HL segments related to the current HL segment.

# LIN Item Identification

Pos: 020	Max: 1
Detail - Optional	
Loop: HL	Elements: 15

**User Option (Usage):** Must use

To specify basic item identification data

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
LIN01	350	<b>Assigned Identification</b>	O	AN	1/20	Used
		<b>Description:</b> Alphanumeric characters assigned for differentiation within a transaction set				
LIN02	235	<b>Product/Service ID Qualifier</b>	M	ID	2/2	Must use
		<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)				
		<b><u>Code</u></b>		<b><u>Name</u></b>		
		EN		European Article Number (EAN) (2-5-5-1)		
		SK		Stock Keeping Unit (SKU)		
		UI		U.P.C. Consumer Package Code (1-5-5)		
		UK		U.P.C./EAN Shipping Container Code (1-2-5-5-1)		
		UN		U.P.C. Case Code Number (1-1-5-5)		
		UP		U.P.C. Consumer Package Code (1-5-5-1)		
		VC		Vendor's (Seller's) Catalog Number		
LIN03	234	<b>Product/Service ID</b>	M	AN	1/48	Must use
		<b>Description:</b> Identifying number for a product or service				
LIN04	235	<b>Product/Service ID Qualifier</b>	X	ID	2/2	Used
		<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)				
		<b><u>Code</u></b>		<b><u>Name</u></b>		
		EN		European Article Number (EAN) (2-5-5-1)		
		SK		Stock Keeping Unit (SKU)		
		UI		U.P.C. Consumer Package Code (1-5-5)		
		UK		U.P.C./EAN Shipping Container Code (1-2-5-5-1)		
		UN		U.P.C. Case Code Number (1-1-5-5)		
		UP		U.P.C. Consumer Package Code (1-5-5-1)		
		VC		Vendor's (Seller's) Catalog Number		
LIN05	234	<b>Product/Service ID</b>	X	AN	1/48	Used
		<b>Description:</b> Identifying number for a product or service				
LIN06	235	<b>Product/Service ID Qualifier</b>	X	ID	2/2	Used
		<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)				
		<b><u>Code</u></b>		<b><u>Name</u></b>		
		EN		European Article Number (EAN) (2-5-5-1)		
		SK		Stock Keeping Unit (SKU)		
		UI		U.P.C. Consumer Package Code (1-5-5)		

		UK	U.P.C./EAN Shipping Container Code (1-2-5-5-1)				
		UN	U.P.C. Case Code Number (1-1-5-5)				
		UP	U.P.C. Consumer Package Code (1-5-5-1)				
		VC	Vendor's (Seller's) Catalog Number				
LIN07	234	<b>Product/Service ID</b>		X	AN	1/48	Used
		<b>Description:</b> Identifying number for a product or service					
LIN08	235	<b>Product/Service ID Qualifier</b>		X	ID	2/2	Used
		<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)					
		<b><u>Code</u></b>	<b><u>Name</u></b>				
		EN	European Article Number (EAN) (2-5-5-1)				
		SK	Stock Keeping Unit (SKU)				
		UI	U.P.C. Consumer Package Code (1-5-5)				
		UK	U.P.C./EAN Shipping Container Code (1-2-5-5-1)				
		UN	U.P.C. Case Code Number (1-1-5-5)				
		UP	U.P.C. Consumer Package Code (1-5-5-1)				
		VC	Vendor's (Seller's) Catalog Number				
LIN09	234	<b>Product/Service ID</b>		X	AN	1/48	Used
		<b>Description:</b> Identifying number for a product or service					
LIN10	235	<b>Product/Service ID Qualifier</b>		X	ID	2/2	Used
		<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)					
		<b><u>Code</u></b>	<b><u>Name</u></b>				
		EN	European Article Number (EAN) (2-5-5-1)				
		SK	Stock Keeping Unit (SKU)				
		UI	U.P.C. Consumer Package Code (1-5-5)				
		UK	U.P.C./EAN Shipping Container Code (1-2-5-5-1)				
		UN	U.P.C. Case Code Number (1-1-5-5)				
		UP	U.P.C. Consumer Package Code (1-5-5-1)				
		VC	Vendor's (Seller's) Catalog Number				
LIN11	234	<b>Product/Service ID</b>		X	AN	1/48	Used
		<b>Description:</b> Identifying number for a product or service					
LIN12	235	<b>Product/Service ID Qualifier</b>		X	ID	2/2	Used
		<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)					
		<b><u>Code</u></b>	<b><u>Name</u></b>				
		EN	European Article Number (EAN) (2-5-5-1)				
		SK	Stock Keeping Unit (SKU)				
		UI	U.P.C. Consumer Package Code (1-5-5)				
		UK	U.P.C./EAN Shipping Container Code (1-2-5-5-1)				
		UN	U.P.C. Case Code Number (1-1-5-5)				
		UP	U.P.C. Consumer Package Code (1-5-5-1)				
		VC	Vendor's (Seller's) Catalog Number				
LIN13	234	<b>Product/Service ID</b>		X	AN	1/48	Used
		<b>Description:</b> Identifying number for a product or service					
LIN14	235	<b>Product/Service ID Qualifier</b>		X	ID	2/2	Used
		<b>Description:</b> Code identifying the type/source of the descriptive number used in					

## Product/Service ID (234)

<b><u>Code</u></b>	<b><u>Name</u></b>
EN	European Article Number (EAN) (2-5-5-1)
SK	Stock Keeping Unit (SKU)
UI	U.P.C. Consumer Package Code (1-5-5)
UK	U.P.C./EAN Shipping Container Code (1-2-5-5-1)
UN	U.P.C. Case Code Number (1-1-5-5)
UP	U.P.C. Consumer Package Code (1-5-5-1)
VC	Vendor's (Seller's) Catalog Number

LIN15 234 **Product/Service ID** X AN 1/48 Used

**Description:** Identifying number for a product or service

**Syntax Rules:**

1. P0405 - If either LIN04 or LIN05 is present, then the other is required.
2. P0607 - If either LIN06 or LIN07 is present, then the other is required.
3. P0809 - If either LIN08 or LIN09 is present, then the other is required.
4. P1011 - If either LIN10 or LIN11 is present, then the other is required.
5. P1213 - If either LIN12 or LIN13 is present, then the other is required.
6. P1415 - If either LIN14 or LIN15 is present, then the other is required.
7. P1617 - If either LIN16 or LIN17 is present, then the other is required.
8. P1819 - If either LIN18 or LIN19 is present, then the other is required.
9. P2021 - If either LIN20 or LIN21 is present, then the other is required.
10. P2223 - If either LIN22 or LIN23 is present, then the other is required.
11. P2425 - If either LIN24 or LIN25 is present, then the other is required.
12. P2627 - If either LIN26 or LIN27 is present, then the other is required.
13. P2829 - If either LIN28 or LIN29 is present, then the other is required.
14. P3031 - If either LIN30 or LIN31 is present, then the other is required.

**Semantics:**

1. LIN01 is the line item identification

**Comments:**

1. See the Data Dictionary for a complete list of IDs.
2. LIN02 through LIN31 provide for fifteen different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.

# SN1 Item Detail (Shipment)

Pos: 030	Max: 1
Detail - Optional	
Loop: HL	Elements: 2

**User Option (Usage):** Must use

To specify line-item detail relative to shipment

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SN102	382	<b>Number of Units Shipped</b>	M	R	1/10	Must use
<b>Description:</b> Numeric value of units shipped in manufacturer's shipping units for a line item or transaction set						
SN103	355	<b>Unit or Basis for Measurement Code</b>	M	ID	2/2	Must use
<b>Description:</b> Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken						

<u>Code</u>	<u>Name</u>
AS	Assortment
CA	Case
DZ	Dozen
EA	Each
PR	Pair
UN	Unit

## Syntax Rules:

1. P0506 - If either SN105 or SN106 is present, then the other is required.

## Semantics:

1. SN101 is the ship notice line-item identification.

## Comments:

1. SN103 defines the unit of measurement for both SN102 and SN104.

# PO4 Item Physical Details

Pos: 060	Max: 1
Detail - Optional	
Loop: HL	Elements: 1

**User Option (Usage):** Used

To specify the physical qualities, packaging, weights, and dimensions relating to the item

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PO401	356	Pack	O	N0	1/6	Used

**Description:** The number of inner containers, or number of eaches if there are no inner containers, per outer container

## Syntax Rules:

1. P0203 - If either PO402 or PO403 is present, then the other is required.
2. C0506 - If PO405 is present, then PO406 is required.
3. P0607 - If either PO406 or PO407 is present, then the other is required.
4. P0809 - If either PO408 or PO409 is present, then the other is required.
5. C1013 - If PO410 is present, then PO413 is required.
6. C1113 - If PO411 is present, then PO413 is required.
7. C1213 - If PO412 is present, then PO413 is required.
8. L13101112 - If PO413 is present, then at least one of PO410, PO411 or PO412 is required.
9. C1716 - If PO417 is present, then PO416 is required.
10. C1804 - If PO418 is present, then PO404 is required.

## Semantics:

1. PO415 is used to indicate the relative layer of this package or range of packages within the layers of packaging. Relative Position 1 (value R1) is the innermost package.
2. PO416 is the package identifier or the beginning package identifier in a range of identifiers.
3. PO417 is the ending package identifier in a range of identifiers.
4. PO418 is the number of packages in this layer.

## Comments:

1. PO403 - The "Unit or Basis for Measure Code" in this segment position is for purposes of defining the pack (PO401) /size (PO402) measure which indicates the quantity in the inner pack unit. For example: If the carton contains 24 12-Ounce packages, it would be described as follows: Data element 356 = "24"; Data element 357 = "12"; Data element 355 = "OZ".
2. PO413 defines the unit of measure for PO410, PO411, and PO412.



# PID Product/Item Description

Pos: 070	Max: 200
Detail - Optional	
Loop: HL	Elements: 3

**User Option (Usage):** Used

To describe a product or process in coded or free-form format

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PID01	349	<b>Item Description Type</b>	M	ID	1/1	Must use
		<b>Description:</b> Code indicating the format of a description				
		<u>Code</u>		<u>Name</u>		
		F		Free-form		
PID02	750	<b>Product/Process Characteristic Code</b>	O	ID	2/3	Must use
		<b>Description:</b> Code identifying the general class of a product or process characteristic				
		<u>Code</u>		<u>Name</u>		
		08		Product		
		73		Vendor color description		
		74		Vendor size description		
PID05	352	<b>Description</b>	X	AN	1/80	Must use
		<b>Description:</b> A free-form description to clarify the related data elements and their content				

## Syntax Rules:

1. C0403 - If PID04 is present, then PID03 is required.
2. R0405 - At least one of PID04 or PID05 is required.
3. C0703 - If PID07 is present, then PID03 is required.
4. C0804 - If PID08 is present, then PID04 is required.
5. C0905 - If PID09 is present, then PID05 is required.

## Semantics:

1. Use PID03 to indicate the organization that publishes the code list being referred to.
2. PID04 should be used for industry-specific product description codes.
3. PID08 describes the physical characteristics of the product identified in PID04. A "Y" indicates that the specified attribute applies to this item; an "N" indicates it does not apply. Any other value is indeterminate.
4. PID09 is used to identify the language being used in PID05.

## Comments:

1. If PID01 equals "F", then PID05 is used. If PID01 equals "S", then PID04 is used. If PID01 equals "X", then both PID04 and PID05 are used.
2. Use PID06 when necessary to refer to the product surface or layer being described in the segment.
3. PID07 specifies the individual code list of the agency specified in PID03.

# CTT Transaction Totals

Pos: 010	Max: 1
Summary - Optional	
Loop: N/A	Elements: 1

**User Option (Usage):** Must use

To transmit a hash total for a specific element in the transaction set

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CTT01	354	Number of Line Items	M	NO	1/6	Must use

**Description:** Total number of line items in the transaction set

**User Note 1:** CTT01 should represent the number of HL segments in the document.

## Syntax Rules:

1. P0304 - If either CTT03 or CTT04 is present, then the other is required.
2. P0506 - If either CTT05 or CTT06 is present, then the other is required.

## Comments:

1. This segment is intended to provide hash totals to validate transaction completeness and correctness.

# SE Transaction Set Trailer

Pos: 020	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 2

**User Option (Usage):** Must use

To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SE01	96	<b>Number of Included Segments</b>	M	NO	1/10	Must use
		<b>Description:</b> Total number of segments included in a transaction set including ST and SE segments				
SE02	329	<b>Transaction Set Control Number</b>	M	AN	4/9	Must use
		<b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set				

## Comments:

1. SE is the last segment of each transaction set.

# GE Functional Group Trailer

<b>Pos:</b>	<b>Max: 1</b>
<b>Not Defined - Mandatory</b>	
<b>Loop: N/A</b>	<b>Elements: 2</b>

**User Option (Usage):** Must use

To indicate the end of a functional group and to provide control information

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
GE01	97	<b>Number of Transaction Sets Included</b>	M	NO	1/6	Must use
		<b>Description:</b> Total number of transaction sets included in the functional group or interchange (transmission) group terminated by the trailer containing this data element				
GE02	28	<b>Group Control Number</b>	M	NO	1/9	Must use
		<b>Description:</b> Assigned number originated and maintained by the sender				

## Semantics:

1. The data interchange control number GE02 in this trailer must be identical to the same data element in the associated functional group header, GS06.

## Comments:

1. The use of identical data interchange control numbers in the associated functional group header and trailer is designed to maximize functional group integrity. The control number is the same as that used in the corresponding header.

# IEA Interchange Control Trailer

Pos:	Max: 1
Not Defined - Mandatory	
Loop: N/A	Elements: 2

**User Option (Usage):** Must use

To define the end of an interchange of zero or more functional groups and interchange-related control segments

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
IEA01	I16	<b>Number of Included Functional Groups</b>	M	N0	1/5	Must use
		<b>Description:</b> A count of the number of functional groups included in an interchange				
IEA02	I12	<b>Interchange Control Number</b>	M	N0	9/9	Must use
		<b>Description:</b> A control number assigned by the interchange sender				